

# 75 Ohm Cable Assemblies

THE NEW DIGITAL WORLD REQUIRES 75 OHM CONNECTORS, ADAPTERS AND CABLE ASSEMBLIES. We have responded to this need by greatly expanding our 75 Ohm connector, adapter and cable assembly lines. Not only do we offer a variety of 75 Ohm BNC, SMB and Mini-SMB connectors, we also offer many standard cable assembly configurations, and build-to-order custom assemblies. If you have 75 Ohm connector or cable assembly requirements, please feel free to call any of our knowledgeable customer service personnel.

## 75 Ohm BNC Female to 75 Ohm BNC Female



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U .....	RFW-7939-	[ inches ]
RG-11A/U .....	RFW-7940-	[ inches ]
RG-59B/U .....	RFW-7941-	[ inches ]
RG-62A/U .....	RFW-7942-	[ inches ]
RG-179B/U .....	RFW-7943-	[ inches ]
RG-179-DS .....	RFW-7944-	[ inches ]
RG-187A/U .....	RFW-7958-	[ inches ]
BELDEN 8218 .....	RFW-7945-	[ inches ]
BELDEN 8281 .....	RFW-7946-	[ inches ]
734A .....	RFW-7947-	[ inches ]
735 .....	RFW-7948-	[ inches ]

## 75 Ohm BNC Female to 75 Ohm BNC Female Bulkhead



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U .....	RFW-7949-	[ inches ]
RG-59B/U .....	RFW-7950-	[ inches ]
RG-62A/U .....	RFW-7951-	[ inches ]
RG-179B/U .....	RFW-7952-	[ inches ]
RG-179-DS .....	RFW-7953-	[ inches ]
RG-187A/U .....	RFW-7954-	[ inches ]
BELDEN 8218 .....	RFW-7955-	[ inches ]
734A .....	RFW-7956-	[ inches ]
735 .....	RFW-7957-	[ inches ]

## 75 Ohm BNC Female to 75 Ohm MINI-SMB Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U .....	RFW-7442-	[ inches ]
RG-179-DS .....	RFW-7443-	[ inches ]

## 75 Ohm BNC Female to 75 Ohm SMB R/A Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U .....	RFW-7444-	[ inches ]
RG-179-DS .....	RFW-7445-	[ inches ]

## 75 Ohm BNC Female Bulkhead to 75 Ohm BNC Female Bulkhead



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U .....	RFW-7959-	[ inches ]
RG-59B/U .....	RFW-7960-	[ inches ]
RG-62A/U .....	RFW-7961-	[ inches ]
RG-179B/U .....	RFW-7962-	[ inches ]
RG-179-DS .....	RFW-7963-	[ inches ]
RG-187A/U .....	RFW-7964-	[ inches ]
BELDEN 8218 .....	RFW-7965-	[ inches ]
734A .....	RFW-7966-	[ inches ]
735 .....	RFW-7967-	[ inches ]

## 75 Ohm BNC Female Bulkhead to 75 Ohm BNC R/A Male



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U .....	RFW-8021-	[ inches ]
RG-59B/U .....	RFW-8022-	[ inches ]
RG-62A/U .....	RFW-8023-	[ inches ]
RG-179B/U .....	RFW-8024-	[ inches ]
RG-179-DS .....	RFW-8025-	[ inches ]
RG-187A/U .....	RFW-8026-	[ inches ]
BELDEN 8218 .....	RFW-8027-	[ inches ]
734A .....	RFW-8028-	[ inches ]
735 .....	RFW-8029-	[ inches ]

## 75 Ohm BNC Female Bulkhead to 75 Ohm Mini-SMB Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179/U .....	RFW-7431-	[ inches ]
RG-179-DS .....	RFW-7432-	[ inches ]

## 75 Ohm BNC Female Bulkhead to 75 Ohm Mini-SMB R/A Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U .....	RFW-7429-	[ inches ]
RG-179-DS .....	RFW-7430-	[ inches ]

## 75 Ohm BNC Female Bulkhead to 75 Ohm SMB Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U .....	RFW-7435-	[ inches ]
RG-179-DS .....	RFW-7436-	[ inches ]


## 75 Ohm BNC Female Bulkhead to 75 Ohm SMB Gold Plug

RG-179B/U .....	RFW-3476-	[ inches ]
RG-187A/U .....	RFW-3477-	[ inches ]

# ORDER INSTRUCTIONS

1. Choose your part number.
2. Fill in blank [ ] with your desired length in inches.
3. See page 19 for Standard Specifications.

**Custom Assemblies** — We will assemble ANY manufacturer's connector to ANY cable length.



### 75 Ohm BNC Female Bulkhead to 75 Ohm SMB R/A Gold Plug



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U	.....RFW-7433-	[ inches ]
RG-179-DS	.....RFW-7434-	[ inches ]

### 75 Ohm BNC Female Bulkhead to 75 Ohm Mini-SMB Gold Bulkhead Jack



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U	.....RFW-7427-	[ inches ]
RG-179-DS	.....RFW-7428-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm BNC Female



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U	.....RFW-8000-	[ inches ]
RG-11A/U	.....RFW-8001-	[ inches ]
RG-59B/U	.....RFW-8002-	[ inches ]
RG-62A/U	.....RFW-8003-	[ inches ]
RG-179B/U	.....RFW-5348-	[ inches ]
RG-179-DS	.....RFW-8004-	[ inches ]
RG-187A/U	.....RFW-8005-	[ inches ]
BELDEN 8218	.....RFW-8006-	[ inches ]
BELDEN 8281	.....RFW-8007-	[ inches ]
734A	.....RFW-8008-	[ inches ]
735	.....RFW-8009-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm BNC Female Bulkhead



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U	.....RFW-7968-	[ inches ]
RG-59B/U	.....RFW-7969-	[ inches ]
RG-62A/U	.....RFW-7970-	[ inches ]
RG-179B/U	.....RFW-5360-	[ inches ]
RG-179-DS	.....RFW-7971-	[ inches ]
RG-187A/U	.....RFW-7972-	[ inches ]
BELDEN 8218	.....RFW-7973-	[ inches ]
734A	.....RFW-7974-	[ inches ]
735	.....RFW-7975-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm BNC Male



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U	.....RFW-5370-	[ inches ]
RG-11A/U	.....RFW-7982-	[ inches ]
RG-59/U	.....RFW-5368-	[ inches ]
RG-62A/U	.....RFW-7976-	[ inches ]
RG-179B/U	.....RFW-5312-	[ inches ]
RG-179-DS	.....RFW-7977-	[ inches ]
RG-187/U	.....RFW-5346-	[ inches ]
RG-302/U	.....RFW-5365-	[ inches ]
BELDEN 8218	.....RFW-7978-	[ inches ]
BELDEN 8281	.....RFW-7979-	[ inches ]
BEL 8281F	.....RFW-5230-	[ inches ]
734A	.....RFW-7980-	[ inches ]
735	.....RFW-7981-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm BNC R/A Male



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U	.....RFW-7983-	[ inches ]
RG-59B/U	.....RFW-5326-	[ inches ]
RG-62A/U	.....RFW-7984-	[ inches ]
RG-179B/U	.....RFW-5325-	[ inches ]
RG-179-DS	.....RFW-7985-	[ inches ]
RG-187A/U	.....RFW-7986-	[ inches ]
BELDEN 8218	.....RFW-7987-	[ inches ]
BELDEN 8281	.....RFW-7988-	[ inches ]
734A	.....RFW-7989-	[ inches ]
735	.....RFW-7990-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm Mini-SMB Gold Plug



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U	.....RFW-5379-	[ inches ]
RG-179/DS	.....RFW-7425-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm SMB Gold Plug



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U	.....RFW-5357-	[ inches ]
RG-179-DS	.....RFW-7455-	[ inches ]

### 75 Ohm BNC Male to 75 Ohm SMB R/A Gold Plug



Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-179B/U	.....RFW-7452-	[ inches ]
RG-179-DS	.....RFW-7453-	[ inches ]

### 75 Ohm BNC R/A Male to 75 Ohm BNC Female




Fill in blank [ inches ] with your desired length in inches

Cable Type	Part Number -	Enter Length
RG-6/U	.....RFW-8010-	[ inches ]
RG-11A/U	.....RFW-8011-	[ inches ]
RG-59B/U	.....RFW-8012-	[ inches ]
RG-62A/U	.....RFW-8013-	[ inches ]
RG-179/	.....RFW-8014-	[ inches ]
RG-179-DS	.....RFW-8015-	[ inches ]
RG-187A/U	.....RFW-8016-	[ inches ]
BELDEN 8218	.....RFW-8017-	[ inches ]
BELDEN 8281	.....RFW-8018-	[ inches ]
734A	.....RFW-8019-	[ inches ]
735	.....RFW-8020-	[ inches ]


# ORDER INSTRUCTIONS

1. Choose your part number.
2. Fill in blank [ ] with your desired length in inches.
3. See page 19 for Standard Specifications.

**Custom Assemblies** — We will assemble ANY manufacturer's connector to ANY cable length.



### 75 Ohm BNC R/A Male to 75 Ohm BNC R/A Male



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-6/U	RFW-7991-	[ inches ]
RG-11A/U	RFW-7992-	[ inches ]
RG-59B/U	RFW-5338-	[ inches ]
RG-62A/U	RFW-7993-	[ inches ]
RG-179B/U	RFW-5337-	[ inches ]
RG-179-DS	RFW-7994-	[ inches ]
RG-187A/U	RFW-7995-	[ inches ]
BELDEN 8218	RFW-7996-	[ inches ]
BELDEN 8281	RFW-7997-	[ inches ]
734A	RFW-7998-	[ inches ]
735	RFW-7999-	[ inches ]

### 75 Ohm BNC R/A Male to 75 Ohm SMB Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-7423-	[ inches ]
RG-179-DS	RFW-7424-	[ inches ]

### 75 Ohm BNC R/A Male to 75 Ohm SMB Gold Plug

RG-179B/U	RFW-3474-	[ inches ]
RG-187A/U	RFW-3475-	[ inches ]

### 75 Ohm BNC R/A Male to 75 Ohm SMB R/A Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-7421-	[ inches ]
RG-179-DS	RFW-7422-	[ inches ]

### 75 Ohm BNC Male Clamp to 75 Ohm BNC Male Clamp



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-59B/U	RFW-8034-	[ inches ]
RG-62A/U	RFW-8035-	[ inches ]
BELDEN 8281	RFW-8042-	[ inches ]

### 75 Ohm SMB Plug to 75 Ohm BNC Female



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-5814-	[ inches ]
RG-179-DS	RFW-8174-	[ inches ]

### 75 Ohm SMB Gold Plug to 75 Ohm SMB Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-5239-	[ inches ]
RG-179-DS	RFW-8503-	[ inches ]

### 75 Ohm SMB Gold Plug to 75 Ohm Mini-SMB Gold Jack



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-7468-	[ inches ]
RG-179-DS	RFW-7469-	[ inches ]

### 75 Ohm SMB Gold Plug to 75 Ohm Mini-SMB Gold Bulkhead Jack



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-7470-	[ inches ]
RG-179-DS	RFW-7471-	[ inches ]

### 75 Ohm SMB Gold Plug to 75 Ohm Mini-SMB Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-5324-	[ inches ]
RG-179-DS	RFW-7454-	[ inches ]


### 75 Ohm SMB R/A Gold Plug to 75 Ohm SMB R/A Gold Plug



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-5396-	[ inches ]
RG-179-DS	RFW-7459-	[ inches ]

### 75 Ohm Mini-SMB Gold Plug to 75 Ohm BNC R/A Male



Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-3470-	[ inches ]
RG-187A/U	RFW-3471-	[ inches ]

### 75 Ohm Mini-SMB R/A Gold Plug to 75 Ohm BNC R/A Male




Fill in blank [ inches ]with your desired length in inches

Cable Type	Part Number	Enter Length
RG-179B/U	RFW-3472-	[ inches ]
RG-187A/U	RFW-3473-	[ inches ]

**ORDER INSTRUCTIONS**

- 1. Choose your part number.
- 2. Fill in blank [ ] with your desired length in inches.
- 3. See page 19 for Standard Specifications.



**Custom Assemblies** — We will assemble ANY manufacturer's connector to ANY cable length.

**75 Ohm SMB R/A Gold Plug  
to 75 Ohm Mini-SMB Gold Jack**



Fill in blank [ inches ]with your desired length in inches

<u>Cable Type</u>	<u>Part Number</u>	<u>Enter Length</u>
RG-179B/U .....	RFW-7464-	[ inches ]
RG-179-DS.....	RFW-7465-	[ inches ]

**75 Ohm SMB R/A Gold Plug  
to 75 Ohm SMB Gold Plug**



Fill in blank [ inches ]with your desired length in inches

<u>Cable Type</u>	<u>Part Number</u>	<u>Enter Length</u>
RG-179B/U .....	RFW-7460-	[ inches ]
RG-179-DS.....	RFW-7461-	[ inches ]